

Meteorological Records, 1883 to 1940, Inclusive

MONTHLY MAXIMUM AND MINIMUM TEMPERATURES FROM 1883 TO 1940, INCLUSIVE.

(Highest and Lowest Record for Each Month in Bold Face Type.)

YEAR	JANUARY				FEBRUARY				MARCH				APRIL			
	MAX.		MIN.		MAX.		MIN.		MAX.		MIN.		MAX.		MIN.	
	Date	Temp.	Date	Temp.	Date	Temp.	Date	Temp.	Date	Temp.	Date	Temp.	Date	Temp.	Date	Temp.
1883	18	44	11	-9	17	48	24	-2	19	61	9	2	16	75	1	19
1884	14	42	26	-13	7	55	29	-3	30	54	1	-4	28	74	1	23
1885	1	61	29	-6	10	38	11	-11.5	28	48	13	-11	24	84.5	10	20.5
1886	5	52.5	13	-18.7	9	50	27	-11	16	58	2	-2.5	24	80.5	4	22
1887	24	50.7	19	-8	9	54.2	27	-4	3	51.7	1	8.7	11	75.7	1	17.2
1888	2	43.2	23	-6	21	49	10	-7	28	57	13	0	29	82.5	8	19
1889	18	55	20	5	23	42	4 & 24	-7	28	61.8	30	18.5	20	84	1	26
1890	6	67	29	9	5	64.5	11 & 21	9.5	13	62	8	2	13	78.8	1 & 19	23
1891	3	46	17	4	26	56.8	15	2.5	12	57	2	4.5	28	81.4	7	21
1892	3	48	10	-5	15	44	6	2.8	27	52.2	4	6	6	78	17	25.5
1893	29	46	11	-6	15	47.4	5	-1	24	54	5	9	13	75.3	26	25
1894	5	59	13	11	20	47.6	27	-8.5	18	73	26	15	21	71.3	2	20
1895*	7	44	19	4	25	46	8	-14	25	52	5 & 16	12	30	80	3	28
1896	30	44	6	-16.5	29	49	17	-21	31	56.5	24	-2	17	87	4 & 5	19
1897	5	58	20	-3.5	18	49.5	1 & 27	5.5	21	64	1	-1	26	82	20	19
1898	13	57	30 & 31	-4	12	56.5	2 & 3	-2	11	65	2	17.5	14 & 18	69	5	18
1899	5	59	12	-4	21	52.5	11	-8	13	63	21	13	30	82	3	23
1900	23	56	1	2	14	57	27	0	10	46	12	-3	30	77.5	9	22
1901	16	48	20	-2	16	36	24	-2.5	24	67	6	-1	28	78	12	28
1902	3	44	28	2	28	52	6	-3	12	66.5	19	14	22	87	5	25
1903	3	48	9	-2	28	62.5	18	-4	19	78.5	1 & 2	19	30	86	5	21
1904	23	48	19	-14	7	58	16	18	26	58	4	8	24	67.5	14	16
1905	1	49	26	-2	20	45	5 & 14	-6	29	82	5	1	27 & 28	75	16	23
1906	21	71	9	4	24	64	6 & 7	-7	27	51	25	2	19	74	2	25
1907	6	53	24	-18	2	47	12	-4	29	83	7	-1	29	73	2	19
1908	22	45	31	-9	15	53	2 & 5	-14	28	73	1	8	27	78	4	18
1909	24	64	19	-7	5	52	1	-1	10	52	5	5	19	75	11	12
1910	2 & 22	45	5	-8	16	29	7	-3	24	82	14 & 18	17	4	84	7	27
1911	27 & 30	48	5	-1	17	52	22	4	27	60	16	-1	29	80	3	18
1912	18	44	14	-12	24	48	10	-10	31	62	4	-1	6	78	4	19
1913	17	57	13	8	20	65	10	-10	14 & 15	69	7 & 8	1	24	84	20	24
1914	29	51	13 & 14	-9	3	52	13 & 24	-14	26	65	12	7	19	82	9 & 13	22
1915	7	46	30	-3	21 & 23	53	10	10	25	50	1	11	25 & 26	88	5	23
1916	27	61	17	-3	1	47	15	-8	31	58	18	-3	21	73	8	26
1917	6	47	11 & 12	1	26	55	13	-8	31	68	6 & 29	11	22	80	11 & 18	23
1918	12	40	2	-10	20	55	5	-11	20	74	11	7	1 & 29	73	9	23
1919	21	5	12	-1	28	54	11	8	26	69	7	3	23	71	1	10
1920	13	39	31	-1	2	44	1	-16	26	73	2	-1	1 & 2	73	10	22
1921	20 & 21	52	18 & 19	0	16	57	20	11	27	84	4	12	26	86	11	23
1922	15 & 19	47	27	-8	23	65	17	-10	28	67	18	14	10	80	22	24
1923	3	41	7 & 30	-9	8	42	4	-1	21	61	28 & 29	3	21	85	1	6
1924	11	52	27	-4	27	40	25	-5	23	54	14	15	28	70	1	20
1925	7	41	28	-12	23	57	2	2	26	74	3	24	24	84	5	19
1926	5	54	29	-1	7 & 26	43	9	-1	22	54	6	2	24	71	15	18
1927	30	56	27	-10	23	55	20	11	17	74	4	13	19	82	23	21
1928	7	52	30	-2	14	68	26	-1	24	74	11	8	5 & 6	80	11	22
1929	19	57	14	-1	18	43	21	-3	21 & 23	68	10	5	6 & 7	81	2	22
1930	7 & 8	56	26	-4	20 & 24	64	6 & 17	-1	17	66	3	13	30	80	24	22
1931	26	50	16	4	16,17,26	42	3	-3	23	60	14 & 15	20	20 & 21	80	12	25
1932	14	66	31	14	12	60	21	2	30	55	9	6	22	73	1	24
1933	19 & 20	63	1	7	20	52	10	-1	14 & 30	51	10 & 11	11	30	82	23	27
1934	1	53	29	-4	18 & 19	42	9	-31	17	64	12	4	30	75	5	23
1935	7	53	27	-9	15 & 24	49	6	-9	16	76	9	4	27	87	6	20
1936	1 & 13	40	30	-2	25	50	20	-10	29	68	2 & 7	10	29 & 30	69	8	24
1937	9	60	24	7	12 & 13	54	28	9	4	46	7	8	30	69	3 & 17	29
1938	30	58	19	-9	6 & 7	51	28	2	22	83	4	-2	28	89	11	20
1939	10	61	27	-4	20	52	17	-1	26	78	19	3	24	81	9	20
1940	14	43	20	-1	12	49	27	1	31	54	13	2	30	78	13	22

*Data from record kept by Mr. Edgar Parker for the year 1895; Station record not available.

†Maximum for first eleven days only. Record incomplete.

‡Thermometers broken. Record not taken from April 19th to 24th, inclusive.

MONTHLY MAXIMUM AND MINIMUM TEMPERATURES FROM 1883 TO 1940, INCLUSIVE (Continued).
(Highest and Lowest Record for Each Month in Bold Face Type.)

YEAR	MAY				JUNE				JULY				AUGUST			
	MAX.		MIN.		MAX.		MIN.		MAX.		MIN.		MAX.		MIN.	
	Date	Temp.	Date	Temp.	Date	Temp.	Date	Temp.	Date	Temp.	Date	Temp.	Date	Temp.	Date	Temp.
1883.....	11	87	1 & 14	31	7	86.5	2	42	5	89	1	46	23	92	15	46
1884.....	24	88	30	32	25	90	15	41	2	87.5	15	50	20	95	25	44
1885.....	18	81.7	3	27.5	14	86.5	23	41.5	18	90.5	12	46.5	1	89	28	45
1886.....	23	79.5	17 & 18	37.2	14	86.2	1	42.2	7	95	1	45.2	30	91.5	6	47.7
1887.....	23	88.2	14	37.5	17	89.2	15	47.7	3	95.5	11	58.7	3	88.5	8	46
1888.....	13	79.8	3	29	23	94.1	4	40	5	89.8	16	47	9	92.6	3	48.3
1889.....	18	91.8	29	32	22	85	5	46	11	90.7	6	50.5	31	86.7	16 & 17	50.3
1890.....	4	80.7	2	30	30	85.6	8	44.8	9	94.5	24	46.5	4	96.2	24	46
1891.....	11	85.5	4	29.5	16	95	6	40	14	92	31	46	12	92	29	46.5
1892.....	31	78	9	34.2	14	92	11	45.8	29	96.3	2	46.4	10	95.5	28	49
1893.....	25	88	9	35	21	94	1	44	26	95.5	24	48.4	11	94.5	13	49
1894.....	2	85.4	14	32.6	23	91.6	6	39	21	97	10	49.6	25	93	27	45.3
1895*.....	31	92	13 & 21	36	3	96	7	54	8	94	11	52	11	88	22	44
1896.....	11	87.5	7 & 20	40	21	89	3	41	3	94	18	49	6 & 7	96	29	44
1897.....	24	80	8	32.5	24 & 25	87.5	2	42	11	97	15	57	15	87.5	21	46
1898.....	29	79	6	34	9	90	16	40	4	96.5	12	40	24	90.5	28	47
1899.....	2	87.5	15	32.5	6 & 24	93	11	41.5	4	97.5	1	50	20	97.5	15	44.5
1900.....	15 & 16	88.5	7	27	25	93	10	45	17	96	1	50	11	97	2	51
1901.....	23	78	16	36	27, 28 & 29	95.5	2	42	1	97.5	20	54.5	22	90	5	52
1902.....	22	90	11	26	3	85	6	38	14 & 27	90	1	53	31	90	13	47
1903.....	19	89	2	24	30	86.5	1	39	9	94	15	50	18	85.5	8 & 14	45
1904.....	25	88	12	31.5	5, 24 & 25	89	12 & 17	45	19	93	3	49	25	89.5	19	45
1905.....	3	82	2	29.5	19	90	1	40	18	92	22	48.5	10	93	27	41
1906.....	24	88.5	11 & 21	30	8	92	12	37	20, 22 & 23	89	25	50	5	93	16	47
1907.....	14	85	2, 11 & 12	28	18	94	3	41	16	90	4	46	12	96.5	19	41.5
1908.....	29	90	1, 4 & 5	31	19	92	12	43	6, 11 & 30	94	9	52	4	95	25	46
1909.....	31	78	2 & 3	33	28	90	8	43	15	92	4	42	8	98	31	42
1910.....	20	79	16	31.5	22	89.9	4	36	9	96.5	5	50	3 & 15	90	27	44
1911.....	22	97	3	27	11	90.5	17	46	5	105	25, 26 & 27	50	8	94.5	30	47
1912.....	24	88	14	34	1	89	8	40	8 & 10	95	1	41	14	92	17	44
1913.....	4	91	11	30	30	92	9	37	1 & 4	95	12	50	17	98	25 & 26	44
1914.....	26 & 27	90	1	34	24 & 25	90	20	39	11	93	4	50	9	94	26	47
1915.....	23	77	3 & 4 10 & 27	34	18 & 19	86	4 & 9	41	31	90	22 & 23	49	1	89	27	43
1916.....	24 & 28	82	10 & 19	37	27	82	1	41	30	96	1	49	22	101	2 & 29	46
1917.....	19	82	4	32	13, 19 & 20	83	16 & 17	46	31	96	4	50	1 & 2	96	31	47
1918.....	6, 18 & 31	84	5	35	1 & 2	90	20	38	21, 22 & 28	95	3	48	13 & 14	98	11 & 19	45
1919.....	31	86	6	32	3	96	29	42	4 & 5	95	11	49	7 & 8	92	10	45
1920.....	19 & 27	85	5	29	29	94	19	44	13	90	16	47	8 & 9	90	3	47
1921.....	21	92	17	31	27	95	2	38	7	100	22	58	30	93	23	45
1922.....	31	86	1	29	24	92	13	42	12	95	9	51	18	92	21 & 29	50
1923.....	26	84	11 & 14	27	19	94	13 & 16	39	20 & 21	89	1 & 26	49	10	91	24	40
1924.....	7	75	21 & 22	31	20	91	1 & 9	41	6, 12 & 29	90	20	47	30 & 31	95	15	44
1925.....	31	84	3	31	5	96	24	42	12	94	1	49	17 & 31	90	28	39
1926.....	2	85	4 & 5	29	29	89	20	41	21	96	15	45	2	92	26	49
1927.....	22	89	3	32	30	93	3	39	1	96	4	46	23	87	26	44
1928.....	4 & 5	88	8	30	25	84	3	42	8	95	31	50	4	96	20	51
1929.....	30	91	20	32	18	93	2 & 3	40	23	93	21	45	10	92	31	42
1930.....	7	90	31	36	5 & 30	93	1	44	18 & 21	96	31	47	4	99	13	33
1931.....	28 & 29	91	1	29	30	97	2 & 6	47	2	104	13	52	6	99	31	48
1932.....	25	90	3	34	21	89	8	41	13	90	5	47	31	95	1	47
1933.....	19	86	5	32	28	98	2	42	31	100	4	49	1	99	30	47
1934.....	31	91	13	30	2	102	7	50	6	99	9	47	19	92	31	36
1935.....	27	86	5	33	14	92	2	42	19	96	2	49	16	92	31	45
1936.....	8	89	16	28	2	92	6	44	9	106	2	45	3 & 19	98	28	45
1937.....	22	85	11	36	1	89	11, 12 & 16	49	8	96	2	50	16	94	15	54
1938.....	5	83	12 & 14	34	24 & 25	93	19	44	8	96	7	48	3 & 4	98	29	48
1939.....	27	94	14	33	11 & 28	91	7	40	8	95	3 & 19	50	12	93	27	54
1940.....	15	85	12	34	5	90	23	40	29	97	14	46	5	91	25	37

*Data from record kept by Mr. Edgar Parker for the year 1895; Station record not available.

MONTHLY MAXIMUM AND MINIMUM TEMPERATURES FROM 1883 TO 1940, INCLUSIVE (Concluded).
(Highest and Lowest Record for Each Month in Bold Face Type.)

YEAR	SEPTEMBER				OCTOBER				NOVEMBER				DECEMBER			
	MAX.		MIN.		MAX.		MIN.		MAX.		MIN.		MAX.		MIN.	
	Date	Temp.	Date	Temp.	Date	Temp.	Date	Temp.	Date	Temp.	Date	Temp.	Date	Temp.	Date	Temp.
1883	17	80	11	37	11	78	17 & 18	25	22	70	17	13	9 & 14	56	23	-7.5
1884	5	94	14	26	5	84.2	27	23	11	68	25	15	31	55.5	20	-15.5
1885	27	83.7	24	40	1	79	13	25	8 & 13	68	28	18	24	53	9	4
1886	11	89.5	22	49	10	76.7	17	27.5	3	68.2	28	17	11 & 25	46	6	-6
1887	22	81.7	27	37.2	9	78.5	31	21.2	28	68	30	15	12	54.7	2	-3
1888	1 & 10	83	7	40	6	62.7	22	29	1 & 3	73	23	8	27	53	22	4
1889	4	84	22, 23 & 29	40	2	68.7	24	21.2	4	61.7	17	17.8	25	60.5	4 & 5	8
1890	8	83.6	25	35.5	5	69.8	31	32	8	65.4	28	17	1	46.2	20	3
1891	26	92.8	30	43	4	89.4	12 & 25	27	1	68	29	12	5	37.7	18	7
1892	26	88	20	39	1	82	2	33.1	19	60	24	18	9	49.2	27	-3.7
1893	5	80	26	37.4	13	76	31	25	3	62	27	19	26	62	14	1.5
1894	4	90	26	33	1	76.5	15	33	3	65	29	12	17	59	29	-0.2
1895*	4	94	15 & 30	42	2	72	30	28	7	68	21	19	20 & 21	62	13	-2
1896	12	95	23	36	30	77.5	10 & 19	29	19	70	21	19.5	14	58	28	2
1897	11	98	21	37.5	16	88	10 & 18	30	6	65	24	16.5	12	61.5	24	2
1898	4	94	21	40.5	1	85.5	28	31	5	63	28	16	31	54	14	3
1899	4	92	15 & 30	30	15	86	3	26	19	60	14	25	12	60	31	-1
1900	12	95	19	37	6 & 7	89	20	28	22	70	17	19	4	55	10 & 14	4
1901	6	89	26	36	10 & 11	74	28	28	1	65	27	13	14	62	18	-1
1902	1	90	15	38	19	74	10, 22 & 30	29	14	73	29	22	2	52	9	-5
1903	14	90	29	35	1	73	25 & 27	28	4	70	26 & 27	12	3	46	19	-4
1904	3	88	23	33	10	81	31	22	3	65	29	9	23	53	16	-2
1905	30	88.5	26	36	1	85	26	20.5	12	61	14	11	29	52.5	15	1
1906	18	91.5	25	38	5	79.5	13 & 31	30	19	62	30	16	6	52	8	-1
1907	20	90	27	39	†	80	31	24	1	59	12 & 16	22	30	57	22	13.5
1908	10	92	30	37	18	83	21	27	26	68	5	18	1	64	23	3
1909	14	93	2 & 6	35	9	82.5	29 & 30	27	11	75	24	21	6	45	30	1
1910	6	87	15 & 23	40	6	81	30	26	1	59	23	21	29	41	31	-2.5
1911	2	87	14	35	4	78	3	33	11	68	13	18	9	67.9	4 & 30	13
1912	6 & 10	95	30	34	6	83	16	31	6 & 7	69	28	20	6	65	9 & 12	12
1913	3	95	15	28	6	81	31	29	22	73	27	22	7	56	28	6
1914	22	92	29	38	10	84	27	26	1	69	24	16	2	64	26 & 27	-6
1915	14	93	28	35	13	75	25	29	1	68	18	21	25	45	31	4
1916	7	93	30	39	8	87	27	29	8	74	25	16	5	62	30	4
1917	1 & 2	82	23	35	2, 18, 19 & 30	64	10	26	11	58	27	9	24	44	30	-18
1918	2	82	11	31	29	78	19	29	15	65	26	20	14	55	7	9
1919	7	92	27	37	19	29	8 & 13	30	1	71	28	31	13	50	18	-6
1920	12	85	20	37	15 & 21	81	30	34	2	64	13	22	14	55	26	-2
1921	2	95	27	43	2	76	26	23	19	73	8 & 23	23	1	54	30	-2
1922	9	92	26	34	6	87	19	22	11	65	26 & 28	19	1	60	30	0
1923	2	90	17	32	13	83	21 & 23	29	4	58	19 & 20	22	13	61	15	16
1924	1	91	11	40	5	80	18	29	7	70	17 & 30	13	7	47	28	-3
1925	20	89	23 & 27	33	14	73	31	21	21	60	29	14	5	55	27	-6
1926	19, 26 & 24	84	14	37	4	85	18 & 26	30	9	65	11	20	12	43	5 & 6	0
1927	19	90	24	40	2	92	30	27	11	72	20	22	14	60	4 & 24	9
1928	11 & 12	89	26	37	12	87	30	18	17	69	26	16	24	50	22	12
1929	4	96	20 & 21	31	20	78	29	26	2	67	29 & 30	9	27	49	12	6
1930	12	91	29 & 30	40	14	84	23	26	16 & 21	66	29	9	1	48	16	5
1931	12	101	25	41	4	85	10 & 13	32	9 & 23	79	28	19	3	54	8	8
1932	1	96	30	35	3	81	14	33	7	59	28	12	25	68	17	1
1933	8	91	11	39	1	76	29	23	2	72	16	7	5	54	29	-21
1934	4	91	19 & 28	42	17	80	20 & 28	28	20	69	15	20	1	62	10	2
1935	25	86	30	35	14	82	16	29	1	68	24	17	9	45	30	2
1936	16	92	30	30	21	79	28	22	3	72	27	9	27	62	1	5
1937	3	96	18	35	6	90	14	28	7	65	23	19	22 & 23	48	9 & 13	9
1938	4	83	6 & 9	38	12	85	7	27	7	80	24 & 26	7	4 & 6	55	16	9
1939	16	100	18	34	10	86	24	24	10	68	20	17	7	59	28	-2
1940	21	84	27	36	23	79	20 & 29	21	4	72	29	15	25	56	4	-2

*Data from record kept by Mr. Edgar Parker for the year 1895; Station record not available.
†Thermometer broken on the 27th, 28th, and 29th of October.

YEARLY MAXIMUM AND MINIMUM TEMPERATURES FROM 1883 TO 1940, INCLUSIVE.

(Highest and lowest record for the time in bold face type.)

YEAR	MAXIMUM FOR EACH YEAR		MINIMUM FOR EACH YEAR	
	Date	Temp.	Date	Temp.
1883	Aug. 23	92	Jan. 11	- 9
1884	Aug. 20	95	Dec. 20	-15.5
1885	July 18	90.5	Feb. 11	-11.5
1886	July 7	95	Jan. 13	-18.7
1887	July 3	95.5	Jan. 19	- 8
1888	June 23	94.1	Feb. 10	- 7
1889	May 18	91.8	Feb. 4 and 24	- 7
1890	Aug. 4	96.2	Mar. 8	2
1891	June 16	95	Feb. 15	2.5
1892	July 29	96.3	Jan. 10	- 5
1893	July 26	95.5	Jan. 11	- 6
1894	July 21	97	Feb. 27	- 8.5
1895*	June 3	96	Feb. 8	-14
1896	Aug. 6 and 7	96	Feb. 17	-21
1897	Sept. 11	98	Jan. 20	- 3.5
1898	July 4	96.5	Jan. 30 and 31	- 4
1899	July 4 and Aug. 20	97.5	Feb. 11	- 8
1900	Aug. 1	97	Feb. 27	0
1901	July 1	97.5	Feb. 24	2
1902	May 24, July 14 and 27, August 31 and Sept. 1	90	Dec. 9	- 5
1903	July 9	94	Feb. 18 and Dec. 19	- 4
1904	July 19	93	Feb. 16	-18
1905	Aug. 10	93	Feb. 5 and 14	- 6
1906	Aug. 5	93	Feb. 6 and 7	- 7
1907	Aug. 12	96.5	Jan. 24	-18
1908	Aug. 4	95	Jan. 2 and 5	-14
1909	Aug. 8	98	Jan. 19	- 7
1910	July 9	96.5	Jan. 5	- 8
1911	July 5	105	Jan. 5	- 1
1912	Sept. 6	95	Jan. 14	-12
1913	Aug. 17	98	Feb. 10	-10
1914	Aug. 9	94	Feb. 13 and 24	-14
1915	Sept. 14	93	Jan. 30	- 3
1916	Aug. 22	101	Feb. 15	- 8
1917	July 31, Aug. 1 & 2	96	Dec. 30	-18
1918	Aug. 13 and 14	98	Feb. 5	-11
1919	June 3	96	Dec. 18	- 6
1920	June 29	94	Jan. 31 and Feb. 1	-16
1921	July 7	100	Dec. 30	- 2
1922	July 12	95	Feb. 17	-10
1923	June 19	94	Jan. 7 and 30	- 9
1924	Aug. 30 and 31	95	Feb. 25	- 5
1925	June 5	96	Jan. 28	-12
1926	July 21	96	Jan. 29 and Feb. 9	- 1
1927	July 1	96	Jan. 27	-10
1928	Aug. 4	96	Jan. 30	- 2
1929	June 18 and July 23	93	Feb. 21	- 3
1930	Aug. 4	99	Jan. 26	- 4
1931	July 2	104	Feb. 3	- 3
1932	Sept. 1	96	Dec. 17	1
1933	July 31	100	Dec. 29	-21
1934	June 2	102	Feb. 9	-31
1935	July 19	96	Jan. 27 and Feb. 6	- 9
1936	July 9	106	Feb. 20	-10
1937	July 8 and Sept. 3	96	Jan. 24	- 7
1938	Aug. 3 and 4	98	Jan. 19	- 9
1939	Sept. 16	100	Jan. 27	- 4
1940	July 29	97	Dec. 4	- 2

*Data from record kept by Mr. Edgar Parker; Station record not available.

MONTHLY AND YEARLY MEANS OF TEMPERATURES FROM 1883 TO 1940, INCLUSIVE.

YEAR	JAN.	FEB.	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPT.	OCT.	NOV.	DEC.	YEARLY AVER'GES
1883	17.4	22.3	23.6	43.3	52.0	66.6	67.4	65.6	56.3	46.6	39.1	27.5	44.0
1884	17.6	28.3	29.5	40.7	54.3	67.1	66.5	69.9	65.2	50.5	36.5	27.2	46.1
1885	20.6	11.4	18.8	41.2	54.3	63.6	69.7	65.0	58.3	49.2	39.3	27.8	43.3
1886	19.6	22.9	30.2	48.1	55.7	64.0	68.0	67.5	61.8	49.6	36.8	22.2	45.5
1887	20.2	23.2	26.3	41.1	62.5	65.7	75.6	66.5	57.7	47.0	37.6	27.6	45.9
1888	16.4	22.8	24.6	40.8	54.3	66.5	66.8	68.0	62.2	43.9	39.4	29.3	44.6
1889	29.1	18.1	33.9	45.1	58.4	65.3	70.2	66.0	60.5	44.0	40.3	35.2	47.2
1890	31.2	30.9	28.8	44.2	52.3	67.1	69.5	67.7	60.1	49.3	37.6	21.4	46.7
1891	25.9	28.3	30.8	45.3	52.0	66.4	66.4	68.5	66.2	48.3	38.4	35.5	47.7
1892	21.4	25.9	26.5	43.5	52.8	68.6	70.2	69.4	61.2	50.0	35.9	25.2	45.9
1893	15.5	20.6	29.5	41.1	54.1	68.2	69.8	68.8	58.0	52.0	38.2	27.5	45.3
1894	29.7	20.6	38.9	44.1	55.5	67.8	74.2	66.8	64.9	52.7	36.0	31.5	48.6
1895	21.8	16.9	26.9	44.4	59.0	*71.0	*73.0	71.2	61.7	45.4	39.6	31.4	46.9
1896	22.4	24.1	24.4	49.3	62.0	65.9	71.4	70.0	60.2	56.5	42.9	27.1	48.0
1897	23.2	26.1	33.8	45.0	55.4	62.3	73.6	67.6	62.3	52.6	39.7	29.2	47.6
1898	26.2	26.8	*41.5	43.2	57.0	67.7	74.2	71.0	65.9	52.1	37.9	27.9	49.1
1899	22.1	20.4	30.4	46.6	57.6	69.5	71.2	71.6	60.6	53.5	38.9	30.0	47.7
1900	26.0	22.6	23.6	43.5	56.7	68.4	72.6	74.1	66.1	57.9	41.1	28.7	48.4
1901	26.1	18.5	32.2	46.5	56.9	68.9	76.6	71.0	64.0	51.4	34.3	27.7	47.9
1902	23.2	22.2	39.5	46.6	56.1	63.2	71.2	67.6	63.6	51.1	46.3	25.7	48.0
1903	25.7	28.1	42.2	45.9	60.4	63.2	70.8	65.5	64.4	52.5	36.2	23.3	48.2
1904	18.9	23.1	30.9	41.4	60.3	67.8	70.0	68.2	61.9	48.4	36.9	22.5	45.9
1905	19.8	18.9	33.1	44.8	57.5	66.4	71.8	68.7	63.7	52.4	37.6	32.0	47.2
1906	32.5	26.1	27.6	46.4	57.5	68.2	71.4	72.8	67.3	51.2	37.9	26.1	48.8
1907	24.9	19.5	38.1	40.2	51.3	64.0	71.2	68.4	64.4	47.9	38.7	31.8	46.7
1908	25.9	21.3	34.6	44.8	59.2	68.8	73.4	68.8	67.0	52.9	40.0	29.2	48.8
1909	27.7	28.6	31.0	44.3	57.9	67.2	69.6	70.0	63.5	47.7	44.5	25.7	48.1
1910	25.1	22.1	42.1	50.1	54.9	65.2	73.1	69.0	63.2	53.1	35.7	21.5	47.9
1911	24.9	26.6	30.9	44.8	64.9	67.5	74.4	70.9	62.8	50.7	36.6	35.1	49.4
1912	15.9	21.6	28.2	45.1	58.9	64.3	73.2	68.6	68.4	53.5	42.5	33.9	47.8
1913	32.7	18.8	36.9	48.3	56.9	66.8	72.1	70.0	61.3	54.0	44.5	33.6	49.7
1914	25.4	17.7	31.7	43.4	60.2	67.3	71.7	70.5	61.4	55.4	39.2	26.0	47.5
1915	26.5	29.6	31.0	52.3	52.6	64.6	69.6	67.8	65.6	52.6	41.1	28.5	48.5
1916	29.0	19.5	27.5	49.5	59.5	61.5	72.5	73.5	66.0	58.0	45.0	33.0	49.5
1917	24.6	20.2	33.8	45.8	49.5	63.9	71.8	70.5	60.1	45.9	35.3	19.5	45.0
1918	14.8	23.4	37.6	45.6	61.9	63.2	70.2	72.2	57.4	53.5	42.1	33.6	47.7
1919	31.0	29.2	35.7	43.6	57.0	71.8	72.0	67.8	64.7	55.4	39.6	23.4	49.3
1920	16.3	21.8	39.0	45.2	56.0	67.2	69.4	70.0	64.5	58.5	38.8	32.3	47.4

*Based on average of records of nearby stations.

MONTHLY AND YEARLY MEANS OF TEMPERATURES FROM 1883 TO 1940, INCLUSIVE (*Concluded*).

YEAR	JAN.	FEB.	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPT.	OCT.	NOV.	DEC.	YEARLY AVER'GES
1921.....	28.9	30.0	43.4	53.7	59.7	69.5	78.0	69.4	69.5	54.5	39.1	28.5	52.0
1922.....	22.6	29.7	37.0	47.4	59.7	67.2	70.6	68.7	64.3	52.1	43.1	29.2	49.3
1923.....	17.4	20.2	30.7	44.3	53.4	70.0	68.6	67.2	62.0	49.4	39.9	36.7	46.7
1924.....	26.4	21.5	32.5	43.7	51.6	64.0	69.5	68.8	60.0	51.7	39.3	26.0	46.3
1925.....	21.6	31.2	37.8	48.2	53.1	69.9	69.0	69.9	69.8	44.8	38.4	28.7	48.5
1926.....	26.3	23.0	28.0	40.6	54.8	62.4	69.5	70.2	63.9	49.1	34.5	23.8	45.5
1927.....	23.5	30.7	37.5	45.0	55.0	63.2	70.6	66.0	63.7	55.3	43.0	30.7	48.7
1928.....	28.2	27.5	32.8	48.5	57.1	64.4	72.2	72.9	63.1	54.2	42.0	33.9	49.7
1929.....	25.1	25.4	40.4	47.7	55.4	66.6	71.1	67.1	64.9	49.7	39.8	27.4	48.4
1930.....	24.6	30.5	34.2	45.2	59.9	69.6	71.5	68.1	66.0	50.4	43.6	29.3	49.3
1931.....	26.6	27.7	35.3	48.1	60.3	68.0	75.4	72.0	69.6	56.7	49.4	34.6	51.9
1932.....	37.0	29.1	30.5	42.7	58.9	68.4	69.3	71.4	64.5	54.3	38.6	33.9	49.8
1933.....	35.9	29.9	33.3	48.7	60.6	71.0	74.1	70.5	64.8	49.6	34.1	27.1	49.9
1934.....	27.8	13.1	31.7	45.9	60.3	71.9	73.4	67.1	66.2	49.6	44.7	27.5	48.2
1935.....	25.8	25.2	38.1	45.2	53.2	66.5	74.9	70.5	60.4	52.5	41.5	24.1	48.1
1936.....	23.6	18.9	38.1	42.8	61.5	69.0	73.3	71.8	65.3	52.7	36.6	33.3	48.9
1937.....	32.6	30.2	28.9	45.2	59.4	67.7	73.7	74.3	61.6	49.8	40.9	28.8	49.4
1938.....	25.7	29.6	41.3	49.1	57.1	67.0	73.4	74.0	59.5	53.6	42.8	31.4	50.3
1939.....	26.6	28.3	32.3	43.4	61.5	68.5	72.2	73.7	65.8	52.5	36.9	31.5	49.4
1940.....	18.5	25.1	27.5	42.7	58.7	65.9	71.7	68.6	61.6	48.8	39.5	27.3	46.3
Averages.....	24.5	24.1	32.7	45.2	57.0	66.8	70.7	69.3	63.3	51.3	39.6	28.8	47.8

PRECIPITATION BY RAINFALL ONLY BY MONTHS FROM 1882 TO 1917, INCLUSIVE.

YEAR	JAN.	FEB.	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPT.	OCT.	NOV.	DEC.	YEARLY TOTAL
	<i>Inches</i>	<i>Inches</i>	<i>Inches</i>	<i>Inches</i>	<i>Inches</i>	<i>Inches</i>	<i>Inches</i>	<i>Inches</i>	<i>Inches</i>	<i>Inches</i>	<i>Inches</i>	<i>Inches</i>	<i>Inches</i>
1882						3.69	2.42	2.37	1.25	0.62	1.22	0.55
1883	0.48	1.44	0.88	1.58	4.45	4.12	2.98	3.47	2.12	2.10	1.54	0.73	25.89
1884	1.83	2.01	2.54	0.83	2.49	2.01	2.33	1.44	3.17	1.67	1.01	0.97	22.30
1885	1.07	0.61	0.12	1.26	1.58	2.49	4.64	5.02	2.11	2.88	1.36	0.76	23.90
1886	1.13	0.95	1.13	4.13	1.92	2.92	4.41	2.86	2.31	1.79	3.48	1.24	27.87
1887	0.18	2.97	0.48	1.37	0.46	2.01	6.37	3.03	0.75	1.74	1.58	1.35	22.29
1888	0.78	1.04	1.43	3.09	2.79	2.88	0.99+	4.02	2.73	3.47	2.02	1.24	20.48
1889	2.99+	0.25	0.66+	3.28	1.21	7.47	4.57	1.98	2.50	3.32	3.44	1.62	32.28
1890	2.16	1.45	2.16	2.20	5.49	4.26	1.07	4.34	5.81	4.54	2.40	36.88
1891	1.44	1.57	3.25	1.63	0.49	4.31	3.52	3.16	0.47	2.65	0.74	3.29	27.52
1892	0.57	0.88	0.55	0.67	4.04	3.95	1.89	4.77	1.12	1.34	1.67	0.72	23.17
1893	1.62	3.71	1.94	2.59	4.92	3.08	2.68	5.38	2.68	1.59	1.09	1.56	33.84
1894	2.21	2.71	1.36	2.43	7.03	1.77	1.50	1.22	4.64	3.59	0.43	0.47	29.36
1895	0.96	0.29	1.36	2.88	2.66	0.94	0.72	2.31	2.49
1896	1.19	2.28	0.84	0.41	2.31	3.71	4.12	3.33	4.27	2.26	2.18	0.71	27.61
1897	0.64	0.21	2.12	1.90	2.19	3.16	5.28	1.27	2.36	0.73	2.53	1.39	23.78
1898	1.74	0.33	1.54	2.03	1.90	2.37	1.32	3.60	1.86	3.83	2.03	0.33	22.90
1899	0.37	0.30	1.22	1.12	1.69	1.71	4.15	1.05	2.23	2.69	1.36	1.46	19.35
1900	1.43	2.42	0.02	0.95	1.71	1.45	6.53	1.75	0.91	3.65	6.13	0.78	27.73
1901	0.72	2.19	4.43	3.80	2.07	3.97	5.52	2.46	1.35	2.09	3.37	31.97
1902	0.86	0.66	1.94	1.92	2.84	4.33	5.29	2.41	2.88	2.32	0.74	0.74	26.89
1903	1.81	1.11	5.62	2.60	0.23	7.77	4.86	7.21	1.30	4.19	1.63	0.38	38.69
1904	0.80	1.03	2.41	1.67	4.04	3.37	5.73	2.56	3.26	2.06	0.26	1.42	28.61
1905	0.40	0.27	1.09	2.05	2.01	8.78	3.59	5.44	1.90	3.69	1.32	1.84	32.38
1906	1.46	0.53	1.60	2.08	4.24	5.31	2.37	3.68	2.16	3.56	1.40	1.54	29.93
1907	1.89	0.03	1.14	2.42	1.82	2.34	2.86	1.35	2.73	2.48	2.78	1.89	24.73
1908	0.68	1.12	1.24	3.28	3.57	1.96	4.72	1.79	1.66	2.73	0.88	0.43	24.06
1909	0.94	1.68	1.35	3.20	2.83	2.17	2.04	2.21	2.22	1.18	0.56	0.49	20.87
1910	0.87	0.53	0.28	4.56	3.45	1.55	2.39	5.47	3.29	1.73	0.62	0.38	25.12
1911	0.91	0.24	1.07	3.24	1.36	2.51	4.49	3.36	3.21	2.37	1.41	2.08	26.25
1912	0.20	0.95	1.92	3.41	7.27	2.09	4.85	2.21	5.89	1.42	1.48	1.13	32.82
1913	3.88	0.11	4.64	3.40	2.68	3.24	2.03	1.65	2.64	4.03	2.41	0.77	31.48
1914	0.98	0.15	1.28	3.10	4.00	2.69	2.18	6.05	1.62	1.55	1.08	1.13	25.81
1915	2.34	1.77	0.30	0.64	2.41	2.57	2.44	5.90	1.78	4.44	1.93	1.23	27.75
1916	2.69	1.05	0.50	3.40	5.69	5.83	1.78	3.47	2.15	1.41	1.83	1.49	31.29
1917	0.72	0.95	1.57	2.92	3.74	7.07	3.16	1.99	1.82	4.37	0.36	0.46	29.13
Averages	1.28	1.13	1.50	2.31	3.01	3.51	3.41	3.30	2.42	2.50	1.70	1.21	27.49

TOTAL PRECIPITATION, RAINFALL AND SNOW REDUCED TO EQUIVALENT RAINFALL, 1918 TO 1940,
INCLUSIVE.

YEAR	JAN.	FEB.	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPT.	OCT.	NOV.	DEC.	YEARLY TOTAL
	<i>Inches</i>	<i>Inches</i>	<i>Inches</i>	<i>Inches</i>	<i>Inches</i>	<i>Inches</i>	<i>Inches</i>	<i>Inches</i>	<i>Inches</i>	<i>Inches</i>	<i>Inches</i>	<i>Inches</i>	<i>Inches</i>
1918.....	1.74	1.59	2.82	2.38	4.10	3.38	4.21	2.25	3.60	3.39	2.25	2.68	34.39
1919.....	0.78	0.93	4.15	4.34	6.52	2.47	3.52	3.58	1.00	3.73	2.67	1.91	35.60
1920.....	3.10	2.40	2.33	2.64	0.75	3.25	5.04	5.27	3.98	1.48	4.29	2.71	37.24
1921.....	0.77	3.25	2.79	2.72	0.85	2.86	2.11	1.75	1.57	1.66	7.30	1.25	28.88
1922.....	2.23	2.17	2.95	2.25	2.50	6.73	3.66	9.14	2.05	2.00	1.22	2.95	39.85
1923.....	4.20	2.05	2.64	1.54	2.52	4.19	3.53	0.68	2.71	2.64	1.66	2.39	30.75
1924.....	1.19	2.18	0.67	4.35	4.45	2.55	5.04	2.11	6.79	0.14	1.26	1.46	32.19
1925.....	4.72	2.00	2.75	3.20	1.00	3.45	4.27	1.03	5.13	3.37	3.83	2.16	36.91
1926.....	2.53	2.30	1.30	3.02	1.18	5.78	1.94	4.56	4.15	2.96	3.18	3.27	36.17
1927.....	2.37	3.05	2.61	1.97	4.60	1.39	5.42	2.81	0.63	5.62	8.24	4.14	42.85
1928.....	1.79	2.16	3.08	3.25	1.44	6.99	3.10	2.40	1.86	2.53	4.50	0.44	33.54
1929.....	3.68	2.10	1.92	6.41	4.46	1.28	2.87	1.31	2.89	3.93	1.64	3.38	35.87
1930.....	2.01	1.14	3.02	1.55	4.36	4.93	1.58	1.95	2.55	0.86	0.81	2.07	26.83
1931.....	2.62	1.82	2.46	2.66	6.88	1.28	2.78	1.98	1.89	2.02	2.48	2.80	31.67
1932.....	3.11	3.60	3.29	2.04	3.53	1.18	5.32	1.90	2.21	4.85	2.73	2.52	36.28
1933.....	1.06	1.02	3.28	3.00	4.08	1.10	0.99	5.61	1.24	1.30	2.40	2.15	27.23
1934.....	1.84	1.77	2.04	1.99	0.41	2.75	1.65	1.90	2.04	1.94	2.50	2.48	23.31
1935.....	3.12	2.06	2.36	2.91	1.79	2.60	6.90	2.44	3.23	3.40	1.52	3.18	35.51
1936.....	1.93	1.14	6.27	2.56	2.02	1.32	0.36	2.68	3.27	3.86	2.78	1.78	29.97
1937.....	3.44	3.08	2.07	4.31	3.59	4.80	1.22	2.91	1.08	5.51	4.27	1.88	38.16
1938.....	2.86	3.26	1.79	3.45	2.79	3.48	3.62	5.69	4.38	0.34	2.16	1.33	35.15
1939.....	3.75	3.24	3.08	2.96	0.99	3.08	3.25	0.52	2.61	2.37	0.67	2.25	28.77
1940.....	1.85	5.10	3.43	2.44	3.94	6.77	2.95	1.14	3.20	1.37	2.09	2.59	36.87
Averages.....	2.46	2.32	2.74	2.95	2.99	3.37	3.27	2.85	2.78	2.66	2.88	2.34	33.65