

Referencias seleccionadas sobre los éteres de polibromodifenilos

 Febrero
 del 2007

Recopilado por Suzanne M. Snedeker, Ph.D., Directora Asociada para Investigación Aplicada

 Para obtener la bibliografía completa sobre los PBDEs refiérase a <http://envirocancer.cornell.edu/bibliography/pesticide/bib.pbde.cfm> en la red electrónica.

Química y fuentes de PBDEs

Alaee, M., Arias, P., Sjödin, A., and Bergman, A. (2003). An overview of commercially used brominated flame retardants, their applications, their use patterns in different countries/regions and possible modes of release. *Environ. Int.* 29, 683-689.

Darnerud, P.O., Eriksen, G.S., Jóhannesson, T., Larsen, P.B., and Viluksela, M. (2001). Polybrominated diphenyl ethers: occurrence, dietary exposure, and toxicology. *Environ. Health Perspect.* 109, 49-68.

Prevedouros, K., Jones, K.C., and Sweetman, A.J. (2004). Estimation of the production, consumption, and atmospheric emissions of pentabrominated diphenyl ether in Europe between 1970 and 2000. *Environ. Sci. Technol.* 38, 3224-3231.

Schecter, A., Papke, O., Joseph, J.E., and Tung, K.-C. (2005). Polybrominated diphenyl ethers (PBDEs) in U.S. computers and domestic carpet vacuuming: possible sources of human exposure. *J. Toxicol. Environ. Health A* 68, 501-503.

Siddiqi, M.A., Laessig, R.H., and Reed, K.D. (2003). Polybrominated diphenyl ethers (PBDEs): new pollutants-old diseases. *Clin. Med. Res.* 1, 281-290.

Estrogenicidad

Hamers, T., Kamstra, J.H., Sonneyeld, E., Murk, A.J., Kester, M.H., Andersson, P.L., Legler, J., and Brouwer, A. (2006). *In vitro* profiling of the endocrine disrupting potency of brominated flame retardants. *Toxicol. Sci.* 92, 157-173.

Meerts, I.A.T.M., Letcher, R.J., Hoving, S., Marsh, G., Bergman, A., Lemmen, J.G., van der Burg, B., and Brouwer, A. (2001). *In vitro* estrogenicity of polybrominated diphenyl ethers, hydroxylated PBDEs, and polybrominated bisphenol A compounds. *Environ. Health Perspect.* 109, 399-407.

Estudios suecos sobre la leche materna

Guvenius, D.M., Noren, K., and Bergman, A. (1999). Analysis of polybrominated diphenyl ethers in Swedish human milk. A time-related trend study, 1972-1997. *J. Toxicol. Environ. Health A* 58, 329-341.

Niveles en animales silvestres y los patrones de contaminación en peces

Boon, J.P., Lewis, W.E., Tjoen-A-Choy, M.R., Allchin, C.R., Law, R.J., de Boer, J., ten Hallers-Tjabbes, C.C., and Zegers, B.N. (2002). Levels of polybrominated diphenyl ether (PBDE) flame retardants in animals representing different trophic levels of the North Sea food web. *Environ. Sci. Technol.* 36, 4025-4032.

Bureau, S., Zebuhr, Y., Broman, D., and Ishaq, R. (2006). Biomagnification of PBDEs and PCBs in food webs from the Baltic Sea and the northern Atlantic Ocean. *Sci. Total Environ.* 366, 659-672.

Chernyak, S.M., Rice, C.P., Quintal, R.T., Begnoche, L.J., Hickey, J.P., and Vinyards, B.T. (2005). Time trends (1983-1999) for organochlorines and polybrominated diphenyl ethers in rainbow trout (*Osmorus mordax*) from lakes Michigan, Huron, and Superior, USA. *Environ. Toxicol. Chem.* 24, 1632-1641.

Dietz, R., Riget, F.F., Sonne, C., Letcher, R.J., Backus, S., Born, E.W., Kirkegaard, M., and Muir, D.C.G. (2006). Age and seasonal variability of polybrominated diphenyl ethers in free-ranging East Greenland polar bears (*Ursus maritimus*). *Environ. Pollut., in press*.

Elliott, J.E., Wilson, L.K., and Wakeford, B. (2005). Polybrominated diphenyl ether trends in eggs of marine and freshwater birds from British Columbia, Canada, 1979-2002. *Environ. Sci. Technol.* 39, 5584-5591.

Herzke, D., Berger, U., Kallenborn, R., Nvgard, T., and Vetter, W. (2005). Brominated flame retardants and other organobromines in Norwegian predatory bird eggs. *Chemosphere* 61, 441-449.

Hites, R.A. (2004). Polybrominated diphenyl ethers in the environment and in people: a meta-analysis of concentrations. *Environ. Sci. Technol.* 38, 945-956.

Jaspers, V., Covaci, A., Maervoet, J., Dauwe, T., Voorspoels, S., Schepens, P., and Eens, M. (2005). Brominated flame retardants and organochlorine pollutants in eggs of little owls (*Athene notua*) from Belgium. *Environ. Pollut.* 136, 81-88.

Johansson, I., Heas-Moisan, K., Guio, N., Munsch, C., and Tronczynski, J. (2006). Polybrominated diphenyl ethers (PBDEs) in mussels from selected French coastal sites: 1981-2003. *Chemosphere* 64, 296-305.

Law, R.J., Allchin, C.R., de Boer, J., Covaci, A., Herzke, D., Lepom, P., Morris, S., Tronczynski, J., and de Wit, C.A. (2006). Levels and trends of brominated flame retardants in the European environment. *Chemosphere* 64, 187-208.

Lindberg, P., Sellstrom, U., Haggberg, L., and De Wit, C.A. (2004). Higher brominated diphenyl ethers and hexabromocyclododecane found in eggs of peregrine falcons (*Falco peregrinus*) breeding in Sweden. *Environ. Sci. Technol.* 38, 93-96.

McKinney, M.A., Cesh, L.S., Elliott, J.E., Williams, T.D., Garcelon, D.K., and Letcher, R.J. (2006). Brominated flame retardants and halogenated phenolic compounds in North American west coast bald eagle (*Haliaeetus leucocephalus*) plasma. *Environ. Sci. Technol.* 40, 6275-6281.

McKinney, M.A., De Guise, S., Martineau, D., Beland, P., Arukwe, A., and Letcher, R.J. (2005). Biotransformation of polybrominated diphenyl ethers and polychlorinated biphenyls in beluga whale (*Delphinapterus leucas*) and rat mammalian model using an *in vitro* hepatic microsomal assay. *Aquat. Toxicol.* 77, 87-97.

She, J., Petreas, M., Winkler, J., Visita, P., McKinney, M., and Kopec, D. (2002). PBDEs in the San Francisco Bay Area: measurements in harbor seal blubber and human breast adipose tissue. *Chemosphere* 46, 697-707.

Valters, K., Li, H., Alaee, M., D'sa, I., Marsh, G., Bergman, A., and Letcher, R.J. (2005). Polybrominated diphenyl ethers and hydroxylated and methoxylated brominated and chlorinated analogues in the plasma of fish from the Detroit River. *Environ. Sci. Technol.* 39, 5612-5619.

Zhu, L.Y., and Hites, R.A. (2004). Temporal trends and spatial distributions of brominated flame retardants in archived fishes from the Great Lakes. *Environ. Sci. Technol.* 38, 2779-2784.

Niveles en humanos

Covaci, A., de Boer, J., Ryan, J.J., Voorspoels, S., and Schepens, P. (2002). Determination of polybrominated diphenyl ethers and polychlorinated biphenyls in human adipose tissue by large-volume injection narrow-bore capillary gas chromatography/electron impact low-resolution mass spectrometry. *Anal. Chem.* 74, 790-798.

Fischer, D., Hooper, K., Athanasiadou, M., Athanassiadis, I., and Bergman, A. (2006). Children show highest levels of polybrominated diphenyl ethers in a California family of four: a case study. *Environ. Health Perspect.* 114, 1581-1584.

Hites, R.A. (2004). Polybrominated diphenyl ethers in the environment and in people: a meta-analysis of concentrations. *Environ. Sci. Technol.* 38, 945-956.

Johnston-Restrepo, B., Kannan, K., Rapaport, D.P., and Rodan, B.D. (2005). Polybrominated diphenyl ethers and polychlorinated biphenyls in human adipose tissue from New York. *Environ. Sci. Technol.* 39, 5177-5182.

Petreas, M., She, J., Brown, R.F., Winkler, J., Windham, G., Rogers, E., Zhao, G., Bhatia, R., and Charles, J. M. (2003). High body burdens of 2,2',4,4'-tetrabromodiphenyl ether (BDE-47) in California women. *Environ. Health Perspect.* 111, 1175-1179.

Schecter, A., Johnson-Welch, S., Tung, K.C., Harris, T.R., Papke, O., and Rosen, R. (2007). Polybrominated diphenyl ether (PBDE) levels in the livers of U.S. human fetus and newborns. *J. Toxicol. Environ. Health A* 70, 1-6.

continúa al dorso

Schechter, A., Papke, O., Chi, K., Joseph, J., Harris, T.R., and Dahlgren, J. (2005). Polybrominated diphenyl ether flame retardants in the U.S. population: current levels, temporal trends, and comparison with dioxins, dibenzofurans, and polychlorinated biphenyls. *J. Occup. Environ. Med.* *47*, 199-211.

Schechter, A., Pavuk, M., Papke, O., Ryan, J.J., Birnbaum, L., and Rosen, R. (2003). Polybrominated diphenyl ethers (PBDEs) in U.S. mothers' milk. *Environ. Health Perspect.* *111*, 1723-1729.

She, J., Petreas, M., Winkler, J., Visita, P., McKinney, M., and Kopec, D. (2002). PBDEs in the San Francisco Bay Area: measurements in harbor seal blubber and human breast adipose tissue. *Chemosphere* *46*, 697-707.

Sjödin, A., Jones, R.S., Focant, J.F., Lapeza, C., Wang, R.Y., McGahee, E.E., III, Zhang, Y., Turner, W.E., Slazyk, B., Needham, L.L., and Patterson, D.G., Jr. (2004). Retrospective time-trend study of polybrominated diphenyl ether and polybrominated and polychlorinated biphenyl levels in human serum from the United States. *Environ. Health Perspect.* *112*, 654-658.

Exposición a los PBDEs

Alimentos

Schechter, A., Papke, O., Harris, T.R., Tung, K.C., Musumba, A., Olson, J., and Birnbaum, L. (2006). Polybrominated diphenyl ether (PBDE) levels in an expanded market basket survey of U.S. food and estimated PBDE dietary intake by age and sex. *Environ. Health Perspect.* *114*, 1515-1520.

Schechter, A., Papke, O., Tung, K.C., Brown, T., Musumba, A. (2006). Changes in polybrominated diphenyl ether (PBDE) levels in cooked food. *J. Toxicol. Environ. Chem., in press.*

Voorspoels, S., Covaci, A., Neels, H., and Schepens, P. (2006). Dietary PBDE intake: A market-basket study in Belgium. *Environ. Int., in press.*

Polvo

Hale, R.C., La Guardia, M.J., Harvey, E., and Mainor, T.M. (2002). Potential role of fire retardant-treated polyurethane foam as a source of brominated diphenyl ethers to the US environment. *Chemosphere* *46*, 729-735.

Harrad, S., Hazrati, S., and Ibarra, C. (2006). Concentrations of polychlorinated biphenyls in indoor air and polybrominated diphenyl ethers in indoor air and dust in Birmingham, United Kingdom: implications for human exposure. *Environ. Sci. Technol.* *40*, 4633-4638.

Jones-Otazo, H.A., Clarke, J.P., Diamond, M.L., Archbold, J.A., Ferguson, G., Harner, T., Richardson, G.M., Ryan, J.J., and Wilford, B. (2005). Is house dust the missing exposure pathway for PBDEs? An analysis of the urban fate and human exposure to PBDEs. *Environ. Sci. Technol.* *39*, 5121-5130.

Rudel, R.A., Camann, D.E., Spengler, J.D., Korn, L.R., and Brody, J.G. (2003). Phthalates, alkylphenols, pesticides, polybrominated diphenyl ethers, and other endocrine-disrupting compounds in indoor air and dust. *Environ. Sci. Technol.* *37*, 4543-4553.

Schechter, A., Papke, O., Joseph, J.E., and Tung, K.-C. (2005). Polybrominated diphenyl ethers (PBDEs) in U.S. computers and domestic carpet vacuuming: possible sources of human exposure. *J. Toxicol. Environ. Health A* *68*, 501-503.

Stapleton, H.M., Dodder, N.G., Offenberg, J.H., Schantz, M.M., and Wise, S.A. (2005). Polybrominated diphenyl ethers in house dust and clothes dryer lint. *Environ. Sci. Technol.* *39*, 925-931.

Agua de desperdicio, sedimento y tierra

Harrad, S., Hazrati, S., and Ibarra, C. (2006). Concentrations of polychlorinated biphenyls in indoor air and polybrominated diphenyl ethers in indoor air and dust in Birmingham, United Kingdom: implications for human exposure. *Environ. Sci. Technol.* *40*, 4633-4638.

Law, K., Halldorson, T., Danell, R., Stern, G., Gewurtz, S., Alae, M., Marvin, C., Whittle, M., and Tomy, G. (2006). Bioaccumulation and trophic transfer of some brominated flame retardants in a Lake Winnipeg (Canada) food web. *Environ. Toxicol. Chem.* *25*, 2177-2186.

Samara, F., Tsai, C.W., and Aga, D.S. (2006). Determination of potential sources of PCBs and PBDEs in sediments of the Niagara River. *Environ. Pollut.* *139*, 489-497.

Song, M., Chu, S., Letcher, R.J., and Seth, R. (2006). Fate, partitioning and mass loading of polybrominated diphenyl ethers (PBDEs) during the treatment processing of municipal sewage. *Environ. Sci. Technol.* *40*, 6241-6246.

Zhu, L.Y., and Hites, R.A. (2005). Brominated flame retardants in sediment cores from Lakes Michigan and Erie. *Environ. Sci. Technol.* *39*, 3488-3494.

Riesgos a la salud

Birnbaum, L.S., and Staskal, D.F. (2004). Brominated flame retardants: cause for concern? *Environ. Health Perspect.* *112*, 9-17.

Branchi, I., Capone, F., Alleva, E., and Costa, L.G. (2003). Polybrominated diphenyl ethers: neurobehavioral effects following developmental exposure. *Neurotoxicol.* *24*, 449-462.

Kuriyama, S.N., Talsness, C.E., Grote, K., and Chahoud, I. (2005). Developmental exposure to low-dose PBDE-99: effects on male fertility and neurobehavior in rat offspring. *Environ. Health Perspect.* *113*, 149-154.

McDonald, T.A. (2002). A perspective on the potential health risks of PBDEs. *Chemosphere* *46*, 745-755.

Talsness, C.E., Shakibaie, M., Kuriyama, S.N., Grande, S.W., Sterner-Kock, A., Schnitker, P., de Souza, C., Grote, K., and Chahoud, I. (2005). Ultrastructural changes observed in rat ovaries following in utero and lactational exposure to low doses of a polybrominated flame retardant. *Toxicol. Lett.* *157*, 189-202.

Viberg, H., Johansson, N., Fredriksson, A., Eriksson, J., Marsh, G., and Eriksson, P. (2006). Neonatal exposure to higher brominated diphenyl ethers, heptabromo- (PBDE 183), octabromo- (PBDE 203) or nonabromodiphenyl ether (PBDE 206), impairs spontaneous behaviour, and learning and memory functions of adult mice. *Toxicol. Sci., in press.*

El debate sobre el Deca

Christensen, J.R., MacDuffee, M., Macdonald, R.W., Whittar, M., and Ross, P.S. (2005). Persistent organic pollutants in British Columbia grizzly bears: consequence of divergent diets. *Environ. Sci. Technol.* *39*, 6952-6960.

Elliott, J.E., Wilson, L.K., and Wakeford, B. (2005). Polybrominated diphenyl ether trends in eggs of marine and freshwater birds from British Columbia, Canada, 1979-2002. *Environ. Sci. Technol.* *39*, 5584-5591.

Inoue, K., Harada, K., Takenaka, K., Uehara, S., Kono, M., Shimizu, T., Takasuga, T., Senthilkumar, K., Yamashita, F., and Koizumi, A. (2006). Levels and concentration ratios of polychlorinated biphenyls and polybrominated diphenyl ethers in serum and breast milk in Japanese mothers. *Environ. Health Perspect.* *114*, 1179-1185.

Lindberg, P., Sellstrom, U., Haggberg, L., and De Wit, C.A. (2004). Higher brominated diphenyl ethers and hexabromocyclododecane found in eggs of peregrine falcons (*Falco peregrinus*) breeding in Sweden. *Environ. Sci. Technol.* *38*, 93-96.

Stapleton, H.M., Alae, M., Letcher, R.J., and Baker, J.E. (2004). Debromination of the flame retardant decabromodiphenyl ether by juvenile carp (*Cyprinus carpio*) following dietary exposure. *Environ. Sci. Technol.* *38*, 112-119.

Stapleton, H.M., Letcher, R.J., Li, J., and Baker, J.E. (2004). Dietary accumulation and metabolism of polybrominated diphenyl ethers by juvenile carp (*Cyprinus carpio*). *Environ. Toxicol. Chem.* *23*, 1939-1946.

Thuresson, K., Hoglund, P., Hagmar, L., Sjödin, A., Bergman, A., and Jakobsson, K. (2006). Apparent half-lives of hepta- to decabrominated diphenyl ethers in human serum as determined in occupationally exposed workers. *Environ. Health Perspect.* *114*, 176-181.

Tomy, G.T., Palace, V.P., Halldorson, T., Braekveit, E., Danell, R., Wautier, K., Evans, B., Brinkworth, L., and Fisk, A.T. (2004). Bioaccumulation, biotransformation, and biochemical effects of brominated diphenyl ethers in juvenile lake trout (*Salvelinus namaycush*). *Environ. Sci. Technol.* *38*, 1496-1504.

Voorspoels, S., Covaci, A., Lepom, P., Escutenaire, S., and Schepens, P. (2006). Remarkable findings concerning PBDEs in the terrestrial top-predator red fox (*Vulpes vulpes*). *Environ. Sci. Technol.* *40*, 2937-2943.